

The logo consists of the word "SIMPSON" in white, uppercase, sans-serif font, centered within a black rectangular background.The logo consists of the words "Strong-Tie" in white, sans-serif font, centered within an orange rectangular background.The background image shows a long bridge under construction over a body of water. The bridge deck is supported by a series of large, trapezoidal concrete piers. The bridge structure is made of weathered steel beams. The sky is a clear, bright blue, and the water is calm, reflecting the bridge and the sky. The perspective is from a low angle, looking down the length of the bridge towards the horizon.

# Repair, Protection and Strengthening Systems for Concrete and Masonry

## Product Guide

F-R-PG15-R

(800) 999-5099

[www.strongtie.com](http://www.strongtie.com)



Repair  
Protect  
Strengthen





Simpson Strong-Tie has become a trusted manufacturer of innovative infrastructure, commercial, industrial, and residential anchor systems solutions since entering the post-installed construction materials market in 1994. We continue to expand our product solutions in pursuit of our commitment to providing our valued customers the most reliable, trusted products available.

The repair, protection, and strengthening solutions in this guide are the result of more than 40 years of laboratory development, field study, and collaboration with professional contractors. Each of these products have passed the performance and quality assurance protocols that are expected of Simpson Strong-Tie, and have been selected to address the unique challenges of Industrial, Marine, and Agribusiness structures.

We are actively developing new products and expanding our qualified contractor network to provide our best-in-class service, jobsite support, and technical expertise to new industries. For the most up-to-date product information and new product releases, please visit [www.strongtie.com/rps](http://www.strongtie.com/rps) or call us at (800) 999-5099.


SIMPSON

Strong-Tie®

®

# TABLE OF CONTENTS

Simpson Strong-Tie Company Inc. was founded in Oakland, California, and has been manufacturing wood-to-wood and wood-to-concrete connectors since 1956. Since then, Simpson Strong-Tie has grown to be the world’s largest manufacturer of construction connectors. In recent years, the company’s growth has included expanding its product offering to include prefabricated shearwalls, anchor systems for concrete and masonry, collated fastening systems and repair, protection and strengthening systems for concrete and masonry.



## Simpson Strong-Tie Company Inc. services include:

- Quality products value-engineered for the lowest installed cost at the highest-rated performance levels
- Most thoroughly tested and evaluated products in the industry
- Strategically located manufacturing and/or warehouse facilities
- Nationwide field engineering support
- National code agency listings
- National factory sales team
- In-house R&D and tool and die professionals
- In-house product testing and quality control engineers
- Member of ACI, AITC, ASTM, ASCE, CAMA, CSI, ICC, ICRI, NBMDA, NLBMDA, PATMI, SETMA, STAFDA, NFBA, WTCA and local organizations
- Various D.O.T. approvals

## Simpson Strong-Tie Quality Policy

We help people build safer structures economically. We do this by designing, engineering and manufacturing “No Equal” structural connectors and other related products that meet or exceed our customers’ needs and expectations. Everyone is responsible for product quality and is committed to ensuring the effectiveness of the Quality Management System.



**Karen Colonias**  
Chief Executive Officer

### General Concrete Repair

Reinforcing Steel Primers . . . . .	6
Bonding Agents . . . . .	8
Cementitious Concrete Repair Products . . . . .	10
Epoxy-Based Concrete Repair Products . . . . .	18
Methyl-Methacrylate Concrete Repair . . . . .	19

### Performance Coating

Cementitious Coatings . . . . .	20
Decorative/Protective . . . . .	22
Epoxy Coatings . . . . .	26
Urethane/Polyurethane Coatings . . . . .	33
Polyurea . . . . .	34
Primer . . . . .	35

### Crack Repair

Epoxy Injection . . . . .	36
ETI Cartridge Solutions . . . . .	38
Surface Applied . . . . .	40

### Joint Sealing

Primer . . . . .	41
Flexible . . . . .	42
Semi-rigid . . . . .	44

### Grouting

Cementitious . . . . .	45
Epoxy . . . . .	47

### Underwater Repair

Cement-Based Repairs . . . . .	49
Epoxy Repair Materials . . . . .	51

### CSS Supplement

Composite Strengthening Systems . . . . .	54
-------------------------------------------	----

### FX-70® System

FX-70® Structural Repair and Protection System . . . . .	58
----------------------------------------------------------	----

### Rail

Rail . . . . .	60
----------------	----

### Specialty Products

Adhesives . . . . .	63
Admixtures . . . . .	65
Aggregates . . . . .	66
Metal Repair Products . . . . .	68

### Reference Information

Reference Information . . . . .	69
---------------------------------	----

# NUMERICAL INDEX BY FORMULATION

CIP . . . . .	38	FX-460 . . . . .	22
CIP-F . . . . .	38	FX-464 . . . . .	28
EDT22S . . . . .	39	FX-480 . . . . .	29
EDTA22P . . . . .	39	FX-488 . . . . .	35
EMNO22 . . . . .	39	FX-498 . . . . .	30
ETI-GV22 . . . . .	38	FX-501MHB . . . . .	23
ETI-LV22 . . . . .	38	FX-501MS . . . . .	24
ETI-SLV . . . . .	38	FX-505 . . . . .	25
E-Z-Click™ . . . . .	39	FX-523 . . . . .	64
FX-32CA . . . . .	65	FX-544 . . . . .	31
FX-32GMF . . . . .	10	FX-572 . . . . .	42
FX-57X . . . . .	41	FX-573 . . . . .	43
FX-63HT . . . . .	63	FX-592 . . . . .	44
FX-70-6 1:1™ . . . . .	51	FX-645 . . . . .	34
FX-70-6MP . . . . .	52	FX-701 . . . . .	66
FX-70-8DP™ . . . . .	49	FX-702 . . . . .	66
FX-70-9™ . . . . .	26	FX-705 . . . . .	67
FX-70-10™ . . . . .	27	FX-738 . . . . .	68
FX-120 . . . . .	60	FX-741LV . . . . .	36
FX-207 . . . . .	20	FX-752 . . . . .	8
FX-214 . . . . .	21	FX-761M . . . . .	18
FX-225 . . . . .	50	FX-763 . . . . .	37
FX-228® . . . . .	45	FX-764 . . . . .	53
FX-229 . . . . .	46	FX-792LPL . . . . .	9
FX-261S . . . . .	11	FX-816 . . . . .	61
FX-262 . . . . .	12	FX-821MMA . . . . .	40
FX-263 . . . . .	13	FX-826 . . . . .	19
FX-263S . . . . .	13	FX-830 . . . . .	62
FX-265 . . . . .	14	FX-922 . . . . .	16
FX-288 . . . . .	15	FX-928 . . . . .	17
FX-288RTU . . . . .	15	FX-1200 . . . . .	47
FX-406 . . . . .	6	FX-1700 . . . . .	48
FX-408 . . . . .	7	FX-3110SW . . . . .	32
FX-442 . . . . .	33		

General Concrete  
Repair

**6–19 ▶**

Performance  
Coating

**20–35 ▶**

Crack Repair

**36–40 ▶**

Joint Sealing

**41–44 ▶**

Grouting

**45–48 ▶**

Underwater  
Repair

**49–53 ▶**

CSS Supplement

**54–57 ▶**

FX-70 System

**58–59 ▶**

Rail

**60–62 ▶**

Specialty  
Products

**63–68 ▶**